



YAMUNA EXPRESSWAY INDUSTRIAL DEVELOPMENT AUTHORITY

Appendix -8(A) in YEIDA building byelaws:

Appendix – 8(A)

(See regulation Number 25.2)

Kindly (√) tick the relevant codes that have been followed

STRUCTURAL SAFETY AND NATURAL HAZARD PROTECTION OF BUILDINGS

Requirements specified in the following Indian Standards, Codes and guidelines and other documents needs to be observed for structural safety and natural hazard protection of buildings etc:-

- (a) For General Structural Safety
 1. IS : 1905 – 1987 “Code of practice for structural safety of buildings; masonry walls” Indian Standards Institution, March 1981.
 2. IS : 1904 – 1978 “Code of practice for structural safety of buildings; foundation” Indian Standards Institution.
 3. IS : 456 - 2000 “Code of practice for plain and Reinforced Concrete” Indian Standards Institution, September 2000.
 4. IS : 800 - 1984 “Code of practice for general construction in steel” Indian Standards Institution, February 1985.
 5. IS : 883 - 1966 “Code of practice for design of structural timbers in buildings; ” Indian Standards Institution, March 1967 Besides any other relevant Indian Standards will need to be referred to
- (b) For Earthquake protection.
 1. IS : 1893 – 1984 “Criteria for Earthquake resistant Design of Structures (Fourth Revision)” June 1986
 2. IS : 13920 – 1993 “Ductile detailing of reinforced concrete structures subjected to Seismic forces – Code of Practice” November 1993
 3. IS : 4326 – 1993 “Earthquake Resistant Design and Construction of Buildings – Code of Practice (Second Revision)” October 1993
 4. IS : 13828 – 1993 “Improving Earthquake Resistance of Low Strength Masonry Buildings - Guidelines” August 1993.
 5. IS : 13827 – 1993 “Improving Earthquake Resistance of Earthen Building Guidelines” October 1993
 6. IS : 13935 – 1993 “Repair and Seismic Strengthening of Buildings – Guidelines” November 1993.
 7. “Improving Earthquake Resistance of Building – Guidelines” by expert group, Government of India, Ministry of Urban Affairs and

Employment, published by Building Materials and Technology Promotion Council 1998.

- 8. The National Building Code of India 1983
For location of the building in hazard prone area of earthquakes, cyclone or wind storms and floods, reference may be made to the following:
- 9. "Vulnerability Atlas of India" by expert group, Government of India, Ministry of Urban Affairs and Employment, published by Building Materials and Technology Promotion Council 1997.

NOTE :

- 1. As and when anyone of the above referred standards and documents is revised, the design and construction of Buildings thereafter must satisfy the latest version for approval of building plans by the Authority.

The above information is factually correct.

Signature of owner with date

Signature of the Engineer who will supervise the construction (with qualification and experience as mentioned in Appendix 12)

Name (Block)

Name (Block)

.....
Address:

Legible Seal:
(with address)

Signature of the Technical Person who will supervise the construction

Name (Block)

Registration number.

Legible Seal with address :



YAMUNA EXPRESSWAY INDUSTRIAL DEVELOPMENT AUTHORITY

Appendix -8(B) in YEIDA building byelaws:

Appendix –8 (B)
(See regulation number 25.2)
4.1 BUILDING INFORMATION SCHEDULE

1. Building Address	Plot number	Sector	Town: Y.E.
2. Building function & Locations			
2.1 Use	Institutional	Commercial	Industrial *
2.2 Importance	Ordinary	Important	Hazardous *
2.3 Seismic Zone (Design Intensity Used	V(IX)	IV(VIII) III(VII) II(VI)	IS:1893
3. Design *EQ Factor	$\alpha_0=.....$ $I=.....$	$\beta=$ $\alpha_h=.....$	IS:1893
4. Foundation			
4.1 Soil type at site (Note 2)	Rock/stiff Medium # Soft	Liquefiable	Expensive(Bearing Capacity.)
4.2 Type of Foundation	Strip	Indiv.Col. Fottings/Raft	Bearing Piles Friction Piles IS:1893
5. Load Bearing Wall Buildings			
5.1 Building Category	A($\alpha_h < .05$) B($\alpha_h = .05$ to $.06$) C($\alpha_h .06$ to $<.08$) D($\alpha_h .08$ to $\alpha < .12$) E($\alpha_h > .12$)		
5.2 Bearing Walls	Brick	Stone	Solid Block Hollow Block Adobe
5.3 Mortar (Note 4)	C : S=1:.....	C:L:S=1	L:S=1: ... Clay Mud *
5.4 Floors	Reinforce concrete slabs	Stone slabs on joists	Prefab flooring elements *
5.5 Roof structure Slab	Flat like floors/pitched	Trussed/Rafted/A Frame/Slopping	R.C.
5.6 Roof covering	CGI Sheeting	*AC Sheeting	Clay tiles/Slate Woodshingle *
5.7 Opening in walls	Control used on sizes?	Control used on location?	Strengthening around?
	Yes/No/NA	Yes/No/NA	Yes/No/NA
			IS:13828
5.8 Bands Provided	Plinth Band	Lintel Band	Roof/Eave Band Gable Band Ridge Band
	Yes/No/NA	Yes/No/NA	Yes/No/NA Yes/No/NA
5.9 Vertical Bars	At corners of rooms	At jambs of openings	

Yes/No/NA

Yes/No/NA

5.10 Stiffening of Prefab R.C. screed & Band Peripheral band and Diagonal planks and Floors/Roofs connectors around band

IS:4326

6. Steel/R.C. frame buildings

6.1 Building shape Both axes near symmetrical One axis near symmetrical/Unsymmetrical (torsion considered)

6.2 Infills/partitions Out of plane stability check? Yes/No In Plane stiffness considered? Yes/No IS:1893,IS:4326

6.3 Ductile Detailing of Beams? Columns? Beam/column Joint? Sheer Walls? IS:13920 R.C. Frames

Yes/No Yes/No Yes/No Yes/No

6.4 Ductile Detailing of Beams? Columns? Beam/column Joint? SP6(6)

Steel Frames Yes/No Yes/No Yes/No

Notes

- 1. Encircle the applicable Data point or insert information.
2. Stiff.N>30:Medium.N=10.3:Soft.N<10:Liquefiable,poorly graded sands with N<15 under Water Table (see Note 5 of Table 1 in IS:1893)
Where N: Standard Penetration (I:2131 – 1981)
3. * Means any other. Specify.

C = Cement, S=Sand, L= Lime

The above information is factually correct.

Signature of owner with date

Signature of the Engineer who will supervised the construction (with qualification and experience as mentioned in Appendix 12)

Name (Block)

Name (Block)

Address:

Address:

Legible Seal: (with address)

Signature of the Technical Person who will supervised the construction

- * R.C. stands for Reinforce Concrete
* CGI stands for Corrugated Galvanised Iron
* B.C. stands for Bearing Capacity
* EQ stands for Earth Quake
*AC stands for Asbestos Corrogated

Name (Block)

Registration Number.

Legible Seal :

With address



YAMUNA EXPRESSWAY INDUSTRIAL DEVELOPMENT AUTHORITY

Appendix -8(C) in YEIDA building byelaws:

Appendix - 8(C)

(See regulation number 25.2)

CERTIFICATE

(The certificate to be submitted with the application for building permission along with the building drawings and Building Information Schedule)

1. Certified that the building plans submitted for approval also satisfy the safety requirements as stipulated in the Indian Standard Codes, guidelines and documents specified in the Appendix 8A regarding earthquake safety awareness and the information given in the attached Building Information Schedule is factually correct to the best of my knowledge and understanding.
2. It is also certified that the structural design including safety from natural hazards including earth quake has been prepared by duly qualified civil engineer along with qualification and experience as mentioned in Appendix 12.
3. Location /Address of Building
Plot number _____
Sector _____
Town: Yamuna Expressway_____
4. Particulars of Building
 1. Ground Coverage (square meter)
 2. Total covered area (square meter)
 3. Total Numbers of Floors above ground.

Signature of owner with date

Signature of the Engineer who will supervise the construction (with qualification and experience as mentioned in Appendix 12)

Name (Block)

Name (Block)

Address:

Address

Legible Seal:
(with address)

.....
Signature of the Technical Person who will supervised the construction

Name (Block)

Registration number

Legible Seal :

(with address).....